

ROCKY: FLOOR POLISH STRIPPER

SAFETY DATA SHEET

PAGE 1 OF 2
VERSION 1 (MC)
ISSUE DATE 04.08.02

1. IDENTIFICATION OF PREPARATION **ROCKY: FLOOR POLISH STRIPPER**

MANUFACTURER: **ABUDAWOOD INDUSTRIAL CO. LTD, YANBU AL SINAIYAH, P O BOX 30226**
TEL: 04-3960188 FAX : 04-3960660

2. COMPOSITION/INFORMATION ON INGREDIENTS

CONTAINS AMONGST OTHER INGREDIENTS:

	<u>CONTENTS</u>	<u>HEALTH CLASS</u>	<u>RISK NO.</u>
SODIUM HYDROXIDE	1-5%	C	35
DISODIUM METASILICATE	1-5%	C	34,37
AMINOETHANOL	1-5%	C, X _n	34,20

3. HAZARD IDENTIFICATION

CAUSES BURNS
CORROSIVE TO BODY TISSUE
IF INGESTED, CAUSES SEVERE INTERNAL IRRITATION AND DAMAGE

4. FIRST AID MEASURES

INHALATION:	NOT APPLICABLE
EYES:	RINSE WITH FRESH WATER FOR AT LEAST 10 MINUTES. OBTAIN IMMEDIATE MEDICAL ATTENTION.
SKIN:	WASH THOROUGHLY WITH WATER. REMOVE CONTAMINATED CLOTHING AND SEEK MEDICAL ATTENTION.
SWALLOWING:	WASH OUT MOUTH WITH WATER. DO NOT INDUCE VOMITING. GIVE WATER TO DRINK AND SEEK IMMEDIATE MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA:	PRODUCT IS NON FLAMMABLE
HAZARDOUS COMBUSTION PRODUCTS:	NONE KNOWN
PROTECTION OF FIREFIGHTERS:	AVOID CONTACT WITH PRODUCT

6. ACCIDENTAL RELEASE MEASURES:

PERSONAL PRECAUTIONS:	PREVENT SKIN OR EYE CONTACT. ENSURE ADEQUATE VENTILATION
ENVIRONMENTAL PRECAUTIONS:	DO NOT ALLOW TO ENTER SEWERS
SMALL SPILLS:	FLUSH AWAY WITH LARGE VOLUMES OF WATER. CONTAIN WITH SAND OR GRANULES. DUMP ON REGISTERED SITE OR PUMP INTO WASTE DISPOSAL TANKER
LARGE SPILLS	

7. HANDLING AND STORAGE:

KEEP CONTAINERS UPRIGHT AND SEALED IN A SECURE STORAGE AREA
AVOID ACIDS AND COMBUSTIBLE MATERIALS.

8. EXPOSURE CONTROLS:

EXPOSURE GUIDELINES:	SODIUM HYDROXIDE OES S.T. Exp.(15min) = 2mg/m ³
RESPIRATORY PROTECTION:	AMINOETHANOL OES = 3ppm (10min) 8hr TWA
SKIN PROTECTION:	NOT REQUIRED IF VENTILATION IS ADEQUATE
EYE/FACE:	WEAR PVC OR RUBBER WET SUIT OR APRON
HAND PROTECTION:	WEAR APPROVED SAFETY GOGGLES
	USE GLOVES MADE OF BUTYL RUBBER, NEOPRENE, NITRILE, PVC

ROCKY: FLOOR POLISH STRIPPER

SAFETY DATA SHEET

PAGE 2 OF 2
VERSION 1 (MC)
ISSUE DATE 04.08.02

9. PHYSICAL AND CHEMICAL PROPERTIES (NOT A SPECIFICATION)

APPEARANCE: ODOUR: BOILING POINT:	PALE STRAW LIQUID CHARACTERISTIC ABOVE 100 ⁰ C	SOLUBILITY: pH (20⁰C): FLASH PT:	COMPLETELY WATER SOLUBLE 13-14 NONE TO BOILING
--	---	--	---

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY:
MATERIALS TO AVOID:

STABLE MIXTURE
ACIDS. ALUMINIUM, ZINC AND THEIR ALLOYS REACT
GIVING OFF FLAMMABLE GAS

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY-INGESTION:

MAY CAUSE SEVERE INTERNAL INJURY. INGESTION
MAY RESULT IN PERFORATION OF DIGESTIVE TRACT,
HAEMORRHAGE AND SEVERE BURNS TO MOUTH AND
THROAT.

SKIN CONTACT:
EYE CONTACT:

SEVERE IRRITATION. POSSIBLE SKIN BLISTERING.
EXTREME IRRITATION OF EYES AND MUCOUS
MEMBRANES, INCLUDING BURNING.

INHALATION:

NOT VOLATILE, HOWEVER, INHALATION OF SPRAY
WOULD CAUSE SEVERE IRRITATION TO MOUTH AND
RESPIRATORY SYSTEM.

12. ECOLOGICAL INFORMATION

NO INFORMATION AVAILABLE

13. DISPOSAL:

DISPOSE OF IN ACCORDANCE WITH LOCAL AUTHORITY REQUIREMENTS. RINSE OUT EMPTY
CONTAINERS BEFORE DISPOSING BY LAND FILL OR INCINERATION IN ACCORDANCE WITH
REGULATIONS.

14. TRANSPORT INFORMATION

CONVEYANCE LABEL:
CLASS NO.:
PACKING GROUP:
U.N. NO.

CORROSIVE
8
III
1824

15. REGULATORY INFORMATION:

EEC SYMBOL:
R34
S26

S-36/37/39

S-45

C-CORROSIVE
CAUSES BURNS
IN CASE OF CONTACT WITH EYES, RINSE
IMMEDIATELY WITH PLENTY OF WATER AND SEEK
MEDICAL ADVICE.
WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES
AND EYE/FACE PROTECTION.
IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL,
SEEK MEDICAL ADVICE IMMEDIATELY (SHOW LABEL
WHERE POSSIBLE.

16. OTHER INFORMATION

THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE
BUT NO WARRANTY EXPRESSED OR IMPLIED IS MADE. RECIPIENTS OF OUR PRODUCT MUST TAKE
RESPONSIBILITY FOR OBSERVING EXISTING LAWS AND REGULATIONS.

